



**ASHBURN  
VAULT COMPANY, Inc.**  
18 Washburn Way  
Hinsdale, NH 03451

*Precast Concrete • Redi Mix*

**NOTES:**

\*Reinforcing Steel Deformed bars conform to latest ASTM specification A615.

\* Concrete compressive strength 4000 PSI at 28 days.

\*Method of manufacture: Wet Cast

\*Section is Monolithic

\*Commercial, residential wall system

**Full Boulder**

48" x 18" x 42"  
Weight: 2160 lbs.  
Sq. Ft. / Block: 6 sq. ft.



**1/2 Corner Boulder**

24" x 18" x 42"  
Weight: 900 lbs.  
Sq. Ft. / Block: 3 sq. ft.



**Cap Boulder**

48" x 18" x 38"  
Weight: 1260 lbs.  
Sq. Ft. / Block: 6 sq. ft.



**90 Degree Return**

48" x 18" x 24"  
Weight: 1100 lbs.  
Sq. Ft. / Block: 6 sq. ft.



**Left Cap Corner**

24" x 18" x 34"  
Weight: 660 lbs.  
Sq. Ft. / Block: 2 sq. ft.



**Right Cap Corner**

24" x 18" x 34"  
Weight: 660 lbs.  
Sq. Ft. / Block: 2 sq. ft.



# LONDON BOULDER

Phone: 603-256-6891

E-MAIL: WASHBURNVAULT@YAHOO.COM

WEIGHT: VARIES

DATE: 1/1/2017